



BOAT LIFTS



www.shoremaster.com






Table of Contents

Standing Boat Lifts

Hydraulic Boat Lifts 6-7

Vertical Boat Lifts 8

Cantilever Boat Lifts 9

Floating Boat Lifts

ShoreMaster Floating Boat Lifts 10

Galva-Lift Floating Boat Lifts 11

PWC Lifts

ShorePort PWC Lifts 12-13

Standing PWC Lifts

Vertical PWC Lifts 14

Cantilever PWC Lifts 15

Floating PWC Lifts

ShoreMaster PWC Lifts 16

Galva-Lift PWC Lifts 17

Boat Lift Canopies 18

Boat Lift Accessories 19

Warranty

Warranty Information 20

Premium Waterfront Products

Sit down, relax and think about how you'd like to spend your time on the water. After all, you deserve it. You've worked hard and have earned the right to ask for more than the standard experience. That's one of the reasons why you've picked up this catalog. Your time is extremely important, and every moment that passes by can only truly be captured by your imagination and memories. We want to give you more time to capture those memories by providing you with a premier waterfront experience.

Your great experience starts with ours.

- At ShoreMaster, we pride ourselves on being the most experienced waterfront equipment manufacturer in the industry. You would be hard-pressed to find another manufacturer that produces everything from world-class marina dock systems, to residential boat lifts and docks to kayaks.
- The name ShoreMaster is synonymous with the word innovation. In the past twelve months, ShoreMaster has created the Tough Top Canopy Cover, two new models of hydraulic boat lifts (the Revolution II and the Revolution III), a new PWC lift (model 1200 PW Cantilever), a new DVS Vertical Boat Lift (model 2208 DVS), a new Cantilever Boat Lift (model 50120 Cantilever), and we've also introduced a new decking option, ShoreMaster Brand Titan Decking. That means that ShoreMaster has more new offerings this year than some manufacturers have in their total product lineup! Above all, these new products mean good things for anyone that lives, works or plays on the water!
- Visit www.shoremaster.com and click on the Dealer Locator to find a ShoreMaster retailer in your area. Because of ShoreMaster's rich heritage, our friendly and knowledgeable ShoreMaster retailers are easy to find, so you'll always be able to get the ShoreMaster product you need, no matter where you go.





Time well spent.

ShoreMaster Boat Lifts *Your boat's best friend.*

If you're looking for a boat lift or hoist, you already have good reasons why. Your boat's hull can be subjected to all sorts of abuse when left in the water. Organisms, corrosion, wind and waves can have some pretty damaging effects on your boat. ShoreMaster Boat Lifts will do the heavy lifting when it comes to protecting your investment.



ShoreMaster Standing Boat Lifts

ShoreMaster offers three basic types of standing boat lifts. Our Vertical Lift is designed to work well in the most diverse range of water conditions. The Cantilever Lift is designed for simple operations in non-fluctuating water of over 2.5 feet. Our third option, a Hydraulic Lift, represents the most advanced technology available. Its quick, quiet, remote-controlled operation will lift your boat out of the water in seconds.



ShoreMaster Floating Boat Lifts

Floating boat Lifts are the perfect choice if you have a floating dock system with a U-shaped slip and at least 5–6 feet of water. A floating lift will provide superior protection for your boat because it attaches to your dock. And, since it's a floating lift, there's virtually no strain being applied to your dock system.



ShoreMaster Personal Watercraft Lifts

When you're not out enjoying your PWC, it should be enjoying the protection of its own specially designed PWC Lift. Our PWC Lifts are designed to give you peace of mind. With their durable design, you can rest easy knowing that your personal watercraft is being protected by the best of the best. The ShorePort is the simplest and quickest way to dry dock your PWC.

Choose from vertical or cantilever-style standing PWC Lift when you need to remove your lift for the winter months. A front-mount or side-mount Floating PWC Lift will fit perfectly with your existing floating dock.



Standing Boat Lifts

NEW

SHOREMASTER REVOLUTION Hydraulic Lift

The ShoreMaster Revolution Hydraulic Lift is a free-standing, self-contained boat lift featuring a patented Over-Center Gravity Lock, balanced load H-frame technology, single aluminum bore hydraulic cylinder design, stainless steel cylinder/hose fittings, joined synthetic hydraulic hoses, white fiberglass pump box with a lockable lid, solar recharger, manual on/off and up/down switches, remote controls, full-length rotating extruded vinyl bunks and marine grade hardware. All you need is a Group 24, 12-volt battery.

- Patented over-center gravity lock
- Balanced load H-frame technology
- Single aluminum bore hydraulic cylinder design
- Stainless steel cylinder/hose fittings
- Joined synthetic hydraulic hoses
- White fiberglass pump box with a lockable lid
- Solar recharger
- Remote controls
- Manual on/off and up/down switches
- Full-length rotating extruded vinyl bunks
- Marine-grade hardware.

Rev II Hydraulic Lift

Perfect for personal watercraft and small boats. It features balanced load H-frame technology and over-center gravity lock for safe, secure storage. Lift capacity is up to 2,000 lbs.

Model	Rev II
Capacity	up to 2,000 lbs.
Typical Boat Length	6' to 15'
Typical Water Depth	16" to 6½' *
Down Height	11" – 21"
Up Height	53" – 71.25"
Width	92" (outside of feet)
Length	142" (max. in down position)
Bunk Length	78"
Bunk Width	18"
Approx. Shipping Wt.	380 lbs

Rev III Hydraulic Lift

Perfect for personal small boats and pontoons. It includes all of the features of the Rev II with an increased lift capacity up to 3,000 lbs.

Model	Rev III
Capacity	up to 3,000 lbs.
Typical Boat Length	6' to 19'
Typical Water Depth	16" to 6½' *
Down Height	11" – 21"
Up Height	53" – 71.25"
Width	126.75" (outside of feet)
Length	184" (max. in down position)
Bunk Length	120"
Bunk Width	30"
Approx. Shipping Wt.	420 lbs

* "TYPICAL WATER DEPTH" will vary according to hull design. Longer legs are available to accommodate installation in deeper water.



REVOLUTION shown with optional accessories.

Full-length extruded vinyl bunks

Vinyl bunks give you long-lasting protection for your boat. They are non-marring and because they are made from extruded vinyl, they do not retain dirt and debris like a carpeted bunk can.






ShoreMaster Hydraulic Boat Lift

ShoreMaster's Hydraulic Lifts represent the most advanced boat lift technology available. Their quick, quiet operation will lift your boat out of the water in seconds. With the standard keychain remote, it's as simple as pressing a button. The hydraulic cylinders are filled with an environmentally-friendly fluid to protect your marine area. An optional solar panel helps maintain your battery life for consistent, trouble-free operation every time.



Lift shown with optional full-length guides and full-length aluminum vinyl bunks.



Remote Control

- Simply push a button to raise or lower your lift.
- Button also activates lift light.
- Childproof with lockable controls.
- Two keychain remotes included.



Hydraulic Rams

- Cylinder rams have a special plating designed for long life in any harsh marine environment.
- The sealing system is also designed for long service life, keeping water and contamination out, while keeping the hydraulic fluid inside.



Control Box and Hydraulic Pump

- A durable thermoplastic control box houses the hydraulic pump and 12-volt battery (battery not included). With 12-volt power, there is no need to have expensive power installed on your dock. Just use the reliable solar panel (pictured) to help maintain battery life. If 110-volt power is available, you can use an AC charger to complement the solar panel or as a stand-alone unit.

Hydraulic Lift Specifications

Model	Weight Capacity (lbs.)	Inside Width	Lift Height	Approx. Weight (lbs.)	Standard Leg Length	Overall Width	Optional Canopy Length
50948	5,000	108"	48"	400	36"	120"	21'-27'
60948	6,000	108"	48"	500	36"	120"	21'-27'
601048	6,000	120"	48"	500	36"	132"	23'-33'
60960	6,000	108"	60"	500	36"	120"	21'-27'
601060	6,000	120"	60"	500	36"	132"	23'-33'
801148	8,000	132"	48"	900	36"	144"	27'-35'
801160	8,000	132"	60"	900	36"	144"	27'-35'
101160	10,000	132"	60"	1300	36"	144"	27'-35'
121160	12,000	132"	60"	1600	36"	144"	27'-35'

Standing Boat Lifts

Whisper Winch

- Easy, quiet operation (no clicking noise).
- Sealed bearings for smooth operation.
- Attractive cast aluminum housing allows for fewer moving internal components.



ShoreMaster Vertical Boat Lift

ShoreMaster's Vertical Lift is designed to work in shallow, deep or fluctuating water conditions. ShoreMaster's all-aluminum welded construction provides a lightweight, maintenance-free lift for greater strength and durability. The double V-Side design allows for easy access to both sides of your boat. These lifts provide safe, secure mooring with virtually maintenance-free operation.

Vertical Lift Specifications

Model	Weight Capacity (lbs.)	Inside Width	Lift Height	Actual Weight (lbs.)	Standard Leg Length	Overall Width	Winch Model	Optional Canopy Length
1264 SR	1,200	64"	50"	165	24"	72"	DL 1202	13'
2208 DVS	2,200	96"	66"	290	36"	108"	Whisper Winch	21'
30966 DVS	3,000	108"	66"	360	36"	120"	Whisper Winch	21'–27'
301066 DVS	3,000	120"	66"	370	36"	132"	Whisper Winch	23'–33'
40966 DVS	4,000	108"	66"	405	36"	120"	SM 4000 HD	21'–27'
401066 DVS	4,000	120"	66"	425	36"	132"	SM 4000 HD	23'–33'
501066 DVS	5,000	120"	66"	525	36"	132"	SM 5000	23'–33'
701068 SR	7,000	120"	66"	695	36"	134"	SM 7000	23'–33'

110-volt or 12-volt electric power units available.

Warning: Dry boat weights are often understated by the manufacturer and do not include gas, gear, etc. Weigh your boat fully loaded to get an accurate weight. The warranty is void if lift capacity is exceeded.

ShoreMaster Winch Cable Guide

- A ShoreMaster exclusive, the cable guide provides better tracking of cable on the spool.
- Virtually eliminates cable stacking, which extends the life of your cable.
- Designed for ease and durability, ShoreMaster's winch will provide years of trouble-free service.



Lift Height

- ShoreMaster's vertical lift models offer lifting ranges from 50–66 inches to provide your boat safe moorage from fluctuating and rough water conditions.



Roller System

- ShoreMaster's roller guide system is superior to collar systems because it eliminates friction to provide smooth travel as you raise and lower your boat.





ShoreMaster Cantilever Boat Lift

ShoreMaster's Cantilever Lifts are ideal for most glacial lake areas in the United States and Canada. These lifts perform well in non-fluctuating water, water over 2.5 feet in depth, and calmer (lower wake) water. Their simple, trouble-free design (one cable and three pulleys) provides years of maintenance-free boat moorage.



Whisper Winch

- Easy, quiet operation (no clicking noise).
- Sealed bearings for smooth operation.
- Attractive cast aluminum housing allows for fewer moving internal components.
- Available on select models only; see specification chart.



Cantilever PWC Lift – 1200 PW Cantilever

- Big features in a small package, the SM 1200 PW will take care of your PWC.
- The 1200 incorporates large 3" poly pulleys, stainless steel cable, four adjustable legs and a 1,200-lb winch.
- Shown with optional bunks.



Brass Pulleys

- The pulley attachment self-adjusts as the rack is raised and lowered to reduce wear on the cable and pulleys.
- Cantilever Lift models (except 1200 PW) use brass pulleys that will not rust or corrode providing years of maintenance-free service.



Pulley/I-Beam Connections

- Our wide stance pulley-to-rack connection offers the greatest strength when you apply force to the rack.
- On lifts 4,000 pounds and larger, nylon bushings placed at all I-beam connections reduce wear at critical friction points.



Cantilever Lift Specifications

Model	Weight Capacity (lbs.)	Inside Width	Lift Height	Actual Weight (lbs.)	Standard Leg Length	Overall Width	Winch Model	Optional Canopy Length
1200 PW	1,200	64"	28"	125	36"	66"	DL 1202	13'
40108	4,000	108"	40"	380	36"	120"	Whisper Winch	21'–27'
40120	4,000	120"	40"	395	36"	132"	Whisper Winch	23'–33'
50120	5,000	120"	40"	420	36"	132"	Whisper Winch	23'–33'

110-volt or 12-volt electric power units available.

Warning: Dry boat weights are often understated by the manufacturer. Also, they do not include gas, gear, etc. Weigh your boat fully loaded to get accurate weight. The warranty is void if lift capacity is exceeded.

Floating Boat Lifts



ShoreMaster Floating Boat Lift Model Chart

Model	Type	Lifting Style	Rated Lift Capacity (lbs.)	Slip Widths	Minimum Water Depth	Tanks (Grey or Blue)	Bunks
SM - 40	Arm Lift	Level	4,000	10' - 12'	4.5'	4 - 24" x 8'	2 - 14'
SM - 40 PNT	Pontoon	Level	4,000	10' - 12'	4.5'	4 - 24" x 8'	4 - 14'
SM - 40 TRI	Tri-Toon	Level	4,000	10' - 12'	4.5'	4 - 24" x 8'	6 - 14'
SM - 40 FM	Front Mount	Swing	4,000	10' - 12'	4.5'	4 - 24" x 8'	2 - 14'
SM - 50	Arm Lift	Level	5,000	10' - 12'	4.5'	5 - 24" x 8'	2 - 14'
SM - 50 PNT	Pontoon	Level	5,000	10' - 12'	4.5'	5 - 24" x 8'	4 - 14'
SM - 50 TRI	Tri-Toon	Level	5,000	10' - 12'	4.5'	5 - 24" x 8'	6 - 14'
SM - 50 FM	Front Mount	Swing	5,000	10' - 12'	4.5'	5 - 24" x 8'	2 - 14'
SM - 60	Arm Lift	Level	6,000	10' - 12'	4.5'	6 - 24" x 8'	2 - 14'
SM - 60 PNT	Pontoon	Level	6,000	10' - 12'	4.5'	6 - 24" x 8'	4 - 14'
SM - 60 TRI	Tri-Toon	Level	6,000	10' - 12'	4.5'	6 - 24" x 8'	6 - 14'
SM - 60 FM	Front Mount	Swing	6,000	10' - 12'	4.5'	6 - 24" x 8'	2 - 14'
SM-80	Arm Lift	Level	8,000	12' - 14'	5'	8 - 24" x 8'	2 - 14'


* Wide Well also available: 13' - 14' 6" And: 15' - 16' 6"

ShoreMaster Floating Boat Lift

No matter what type of boat you have, or whether your site conditions require a front mount or standard 4 point L-arm floating lift, you'll find just what you need with ShoreMaster. All ShoreMaster Floating Boat Lifts can accommodate boats, pontoons, tri-toons and deckboats with our adaptive bunk set up. Guides are also available. Lift Guide Brackets are available for the front mount lifts which can help to secure the lift in a wide slip and may even help to stiffen your dock's walkway. With ShoreMaster's Titan Decking planks you can add additional walking space to your Front Mount lift to make cleaning, inspecting and loading or unloading your boat safer and easier!

ShoreMaster Floating Boat Lift

- All lifts come ready for installation.
- Rigid, crush-resistant, roto-molded tanks.
- Super tough, heavy-duty arms and dock brackets.
- Galvanized steel frame.
- No steel in the water.
- A truly modular design.
- Optional remote control.



ShoreMaster Front Mount Floating Lift



New! Titan Decking Kit for ShoreMaster Front Mount Floating Lifts

Choose the Titan Decking Kit for the front of your lift, and/or a Titan Decking Walkway Kit for one or both sides of your lift.



Control Unit

- Dock-mounted in roto-molded polyethylene case.
- Inline GFCI for safety.
- Operates on 120 volt / 20 amp home circuit with standard 3-prong plug.
- Check-valve prevents back flow of water through motor.



Galva-Lift Floating Boat Lift

ShoreMaster's Galva-Lift is the recognized leader in durable, rough-water floating boat lifts. The Galva-Lift was conceived and has been time-tested in the turbulent waters of Lake of the Ozarks. The Galva-Lift uses high-density polyethylene tanks that are manufactured using the exclusive *Extrutek Fusion* technology process for superior flotation. Front mount options are available in models P-45 and P-65.



ShoreMaster Floating Boat Lift

- All lifts come ready for installation with control unit, dock brackets and carpeted bunks.
- HDPE extruded tanks are manufactured using the exclusive Extrutek Fusion technology process which guarantees maximum rigidity and crush resistance. 3/4" to 1" sidewalls make these HDPE virtually "bullet-proof."
- Super tough, heavy-duty channel and tube construction to withstand the roughest water conditions.
- Level lifting operation.
- Hot-dipped, zinc galvanized steel frame for maximum rigidity and years of worry-free operation.



Optional Remote Control

- Simply push a button to raise or lower your lift.
- Button on remote also activates lift light.
- Childproof with lockable controls.
- The remote package comes with two keychain remotes.



Control Unit

- Dock-mounted in roto-molded polyethylene case.
- Inline ground fault circuit interrupter (GFCI) for safety.
- Operates on 120 volt / 20 amp home circuit with standard 3-prong plug.
- Check-valve prevents back flow of water through motor.

Galva-Lift Floating Boat Lift Model Chart

Model	Rated Lift Capacity (lbs.)	Slip Width	Minimum Water Depth	Tanks	Bunks
P-45	4,500	8' - 12'	5'	2 - 30" x 13'	2 - 14'
P-65	6,500	9' - 12'	5.5'	2 - 30" x 17'	2 - 14'
P-85	8,500	10' - 12'	6'	2 - 30" x 18'	2 - 16'
P-100	10,000	10' - 12'	6.5'	2 - 32" x 22'	2 - 16'
P-120	12,000	10' - 12'	6.5'	2 - 32" x 26'	4 - 10' / 1 - Vpad
P-140	14,000	12'	7'	1 - 32" x 10' / 2 - 32" x 26"	4 - 10' / 1 - Vpad
P-170	17,000	12'	7'	1 - 32" x 22' / 2 - 32" x 26"	4 - 10' / 1 - Vpad
P-200	20,000	14'	7'	2 - 36" x 26' / 1 - 36" x 24"	4 - 10' / 2 - Vpad
P-240	24,000	15'	7'	2 - 32" x 28' / 2 - 32" x 24"	4 - 10' / 2 - Vpad
P-270	27,000	16'	7'	2 - 36" x 28' / 2 - 36" x 24"	4 - 10' / 2 - Vpad

* Front Mount available on models P-45 and P-65. Pontoon, Tri-Toon and Shallow Water Kits also available. Deep Drop / Back In available on Models P-85 to P-270.

ShorePort PWC Lift



ShorePort PWC Floating Lift

The ShorePort is the most effective way to dry-dock your personal watercraft. The ShorePort makes loading and unloading your PWC fun by making the process smooth and simple. The ShorePort uses a three-roller system to get your PWC up and out of the elements with a simple flick of the throttle. When it's time to unload your PWC, a gentle push is all that's required. ShorePort is a very attractive option if you like to share your PWC with friends and family. Its one-piece, simple design makes it tough enough to withstand constant abuse. The ShorePort can also be connected to another ShorePort, or more, giving you a solid and stable platform for dry-docking your fleet of PWCs. The ShorePort works just as well in a private dock as it does alone or connected to multiple ShorePorts in a public marina. Try one and you'll see why more and more people are choosing the ShorePort for their PWC dry-docking solution.



The ShorePort is the perfect companion for your floating PolyDock. See the ShoreMaster Dock catalog for more information.

ShorePort Models and Specifications

Model	Weight Capacity	Width	Length	Weight
1150	1,150 – 1450 lbs.*	58"	138"	260 lbs.

**with supplemental flotation*



Keel Roller

- Standard three-roller system provides easy drive-on and roll-off launching.
- Clear non-marring poly rollers are adjustable to conform to any hull design.



Flexi-Hinge

- Designed to allow ShorePort to attach to most floating dock systems.



Side Mount Flexi-Hinge


- Same benefits as standard Flexi-Hinge, but allows you to mount your ShorePort parallel to your floating dock.



Stand-Off/Pipe Bracket

- Easy clamp design allows for sturdy alternative attachment to the ShoreMaster PolyDock.

Just drive on to load, roll off to launch. There is no faster or easier method to dry dock your personal watercraft. The ShorePort protects your PWC from damage that can be caused by wind or waves.



Standing PWC Lifts



1264 Vertical PWC Lift Specifications

Model	Weight Capacity (lbs.)	Inside Width	Lift Height	Overall Width	Standard Leg Length	Actual Weight	Winch Model
1200 PW	1,200	64"	50"	72"	24"	165 lbs.	DL 1202

1264 Vertical PWC Lift

The ShoreMaster 1264 Vertical PWC Lift is the perfect way to protect your watercraft and spend more time enjoying it with less cleaning and hull maintenance. The 1264 provides 50" of lift height, so you'll rest easy knowing that your personal watercraft is lifted above the punishment of high waves. When the wakes and the waves finally calm down, you'll be able to utilize your lift in as little as 12" of water. The 1264 offers a great solution in many waterfront situations.

Features and Benefits

- Stainless steel cables and brass pulleys for reliable service, year after year.
- Easy-to-turn aluminum wheel with ball-bearing knob, so you'll never get tired of riding your PWC.
- Four fully adjustable legs allow you to keep your lift level in any type of water.
- Optional 13' canopy available.





NEW

1200 PW Cantilever Lift

Your PWC deserves protection. You deserve simplicity. The ShoreMaster 1200 PW Cantilever Lift delivers both. The 1200 PW is perfect for watercraft up to 1,200 lbs. and can accommodate up to a 64" watercraft beam. The ShoreMaster 1200 PW Cantilever Lift is designed to handle today's heavier, faster and more agile personal watercraft. The 1200 PW Cantilever is a completely new design utilizing fully-welded rack components and fully-welded lift sides. This ensures maximum durability for a long life with little-to-no maintenance. Simply drive your watercraft onto the 1200 PW Cantilever Lift for the ultimate in PWC protection.



Carpeted Bunks

- Horizontally adjustable 8' carpeted bunks fit virtually any model PWC.



3" Pulleys

- Large 3" pulleys are standard on the model 1200 PW Cantilever Lift.



Welded Side Frame

- A welded side frame increases durability and reduces maintenance and the welded rack keeps the lift square and provides load support.



1200 PW shown with optional canopy frame.


Features and Benefits

- Stainless steel cable and brass pulleys for rugged durability.
- Easy-to-turn aluminum wheel with ball-bearing knob, so you'll never get tired of riding your PWC.
- Four fully adjustable legs, to make height adjustments simple and easy.
- Cantilever action makes it easier to lift by transferring your PWC's weight to the frame as it rises.
- 8' carpeted bunks available.
- Optional 13' canopy available.

1200 PW Cantilever Lift Specifications

Model	Weight Capacity (lbs.)	Inside Width	Lift Height	Overall Width	Standard Leg Length	Approx. Shipping Wt.	Winch Model	Optional Bunk Length	Optional Canopy Frame Size	Approx. Canopy Frame Weight
1200 PW	1,200	64"	28"	66"	36"	125 lbs.	DL 1202	8'	13' x 64"	55 lbs.

Floating PWC Lifts



ShoreMaster Floating PWC Lift Model Chart

Model	Type	Rated Lift Capacity (lbs.)	Minimum Water Depth	Tanks (Grey or Blue)	Bunks
SM - 10 NF	Front Mount/Narrow Frame	1,000	4.5'	1 - 24" x 8'2"	2" x 4" x10'
SM - 10 WF	Front Mount/Wide Frame	1,000	4.5'	2 - 24" x 8'2"	2" x 4" x10'
SM - 20 NF	Front Mount/Double-Narrow Frame	2,000	4.5'	2 - 24" x 8'4"	2" x 4" x10'
SM - 20 WF	Front Mount/Double-Wide Frame	2,000	4.5'	2 - 24" x 8'4"	2" x 4" x10'

SHOREMASTER FLOATING PWC LIFTS

ShoreMaster's Floating PWC Lift is designed to securely protect your personal watercraft from the harshest marine environments. When you store your PWC on a ShoreMaster Floating PWC Lift, you are not only making it easier to load and unload your PWC and eliminating boat ramp hassles, you are reducing the need for cleaning and maintenance to its hull and outdrive.

ShoreMaster Floating PWC Lifts

Ready for installation

ShoreMaster Floating PWC Lifts are ready for installation and come equipped with bunks, dock brackets, and a control unit so you can begin protecting your PWC from the moment it is installed.

Galvanized Steel Frame

All ShoreMaster Floating PWC Lifts utilize a durable, time-tested, hot-dip zinc galvanized steel frame for maximum rigidity and years of worry-free operation. ShoreMaster's hot-dipped galvanized steel frame resists corrosion and is designed so that all metal parts remain above water when the lift is in the raised, or in the storage position. Our PWC lifts are available in single or double PWC configurations and narrow or wide frame set ups.

Roto-molded Tanks

ShoreMaster Floating PWC Lifts are floated by the industry-standard roto-molded polyethylene tanks available in blue or gray. The roto-molded tank means that you get a seamless, one-piece tank for maximum rigidity and crush resistance.

Ease of Use

ShoreMaster Floating PWC Lifts provide you with a simple trouble-free way to access and store your PWC. From the simple, easy-to-operate control unit to the durability of the roto-molded tanks and the corrosion-resistant galvanized steel frame, you'll get peace of mind knowing that your PWC is protected from the elements and ready to hit the water when you are.





Galva-Lift Floating PWC Lifts

Ready for installation

The Galva-Lift Floating PWC Lifts are ready for installation and come equipped with bunks, dock brackets, and a control unit so you can begin protecting your PWC from the moment it is installed.

Galvanized Steel Frame

All Galva-Lift Floating PWC Lifts utilize a hot-dip, zinc galvanized steel frame for maximum rigidity and corrosion protection. The Galva-Lift Floating PWC Lifts uses bushings at all pivot points to reduce wear and increase the lift's longevity.

HDPE Extruded Tanks

The Galva-Lift uses virtually "bullet-proof" HDPE (High Density Polyethylene) tanks that are manufactured using the exclusive *Extrutek Fusion* technology process. These tanks guarantee maximum rigidity and crush resistance while the HDPE provides a small amount of negative buoyancy which means less weight and stress on your dock.

Galva-Lift Tanks: 3/4" to 1" sidewall makes HDPE tanks virtually "bullet proof." HDPE inset welded end caps for superior strength and air retention.



Galva-Lift Floating PWC Lift Model Chart

Model	Rated Lift Capacity (lbs.)	Frame Size	Minimum Water Depth	Tanks	Bunks
PWC Side Mount	1,100	60" x 69"	4.5'	2 - 16" x 10' poly tanks	2 - 2" x 4" x 8'
PWC Front Mount	1,100	39.5" x 120" / 59" x 120"	4.5'	1 - 25" x 8' poly tank	2 - 2" x 4" x 8'
PWC Front Mount, Dbl Frame	2,000	89" x 120" / 112" x 120"	4.5'	2 - 25" x 8' poly tanks	4 - 2" x 4" x 8'
PWC Front Mount	2,000	89" x 168" / 112" x 120"	4.5'	2 - 25" x 10' poly tanks	2 - 2" x 4" x 10'

PWC Side Mount, PWC Front Mount and PWC Front Mount Double Frame can be used for most personal watercraft. The 89" x 168" front mount can be used for most small water jet powered boats. The 112" x 120" front mount can be used for 14' to 16' range small aluminum boats.



The Galva-Lift Floating PWC Lift is available in *front-mount* and *side-mount* configurations and each configuration uses the HDPE tanks for superior flotation and durability. The front-mount configuration attaches to an existing walkway or pier and operates from a front-mounted hinge which allows the lift to "swing" up or down when in operation. The side-mount configuration attaches to the side of a finger or walkway while the lift operates on a level attitude.



Boat Lift Canopies

NEW

**SHOREMASTER
TOUGHTOP**
Canopy System

The ShoreMaster Tough Top Canopy Cover is a completely new way to protect the value of your boat while also protecting its contents. The Tough Top Canopy Cover is a fiberglass shell over an aluminum frame that attaches to your ShoreMaster boat lift in much the same way that a traditional canopy cover does. The four linear actuators move it up and down to fit more closely over the top and sides of your boat. *Please visit www.toughtopcanopy.com for more info.*



Canopy Actuator System from ShoreMaster is a new way for ShoreMaster boat lift owners to protect their boat. The Canopy Actuator Kit allows you to raise and lower your canopy frame to get a nice “low-profile” look to your boat lift setup, giving you a better view of the water. Guiding your boat into and out of the boat lift will be safe and simple because you can raise your canopy frame out of the way. When your boat is stored on the lift, you can lower the canopy to secure the contents and get better wind, rain, and sun protection. The Canopy Actuator Kit is available from your Authorized ShoreMaster Retailer.

Tired of covering your boat? ShoreMaster’s **Lift Canopy** offers convenience while its deep framework allows your boat to fit tightly under the canopy protecting it from the elements. ShoreMaster’s canopy also allows your boat to dry out after fishing, skiing or swimming by incorporating an air vent on each end that provides ventilation and allows air to escape in severe weather conditions. Available in ShoreMaster’s exclusive WeatherMAX™ or ShoreMaster vinyl.


Exclusive **WeatherMAX™**

- Superior color retention and UV resistance from the SaturaMax™ solution-dyed fabric guarantees long life.
- Engineered yarn memory means less sagging from age, rain or exposure.
- Finished with HydroMax technology for water, dirt and outstanding mold and mildew resistance.
- 6 times more abrasion-resistant than acrylic.
- 2 times the breaking-strength of acrylic.
- 67% more water resistant than acrylic.
- 5-year warranty.

ShoreMaster Vinyl

- Heavy-duty, double-coated 16 oz. vinyl is UV resistant for long life.
- Welded seams will not leak or rot.
- Easy bungee straps secure the canopy to the canopy frame.

Available WeatherMAX Colors: Colors shown are approximate. *Also available in tweed.



Available ShoreMaster Vinyl Colors: Colors shown are approximate.



Canopy Side Extensions

- ShoreMaster offers canopy frame, vinyl side and end extensions to allow even more protection from wind, waves, and sun for taller boats, and boats with wakeboard towers.
- ShoreMaster’s canopy extensions fit existing canopy frames from 25’ and up.

The canopy warranty is void if genuine ShoreMaster fabrics are not used.

Boat Lift Accessories




For maximum protection and ease of use, check out these great accessories. (Not all lift options are shown.)



Easy Adjust Leg

- Easily adjust the height of any lift with a cordless drill or wrench.
- 42" of height adjustment



A. Full-Length Aluminum Vinyl Bunks


- Aluminum channel with extruded blue vinyl surface provides an outstanding surface for your boat.

B. Adjustable Motor Stop

- Assists in centering of boat on lift from front to back.

C. Full-Length Aluminum Carpeted Wood Guide

- Provides a scratch-free and mar-free surface to guide your boat.



Wheel Drive Power Unit

- Attaches to the lift and turns the lift wheel for you.
- Available in both 110-volt and 12-volt.
- Contact switch is standard for safety.
- Available from Shoreline Industries.



Side Mount Electric Power Unit

- Attaches directly to the winch replacing the lift wheel.
- Available in both 110-volt and 12-volt.
- Comes standard with a GFCI for safety.
- Includes handle for manual lift operation.
- Solar panel standard with 12-volt unit.
- Available from Shoreline Industries.



Keychain Remote Control

- Simply push a button to raise or lower lift.
- Button on remote also activates lift light.
- Childproof with lockable controls.
- Includes two keychain remotes.
- Available from Shoreline Industries.



Guide-Ons (Set of 4)

- Provide a visual aid when landing and centering your boat in the lift.
- 53" size.



Non-Adjustable Cradles

- Made out of an 11" aluminum channel with a rubber surface.
- Will not scratch or mar your boat.
- Virtually maintenance-free.



Wheel Caddy

- Assists in lift installation and removal.
- Attaches to each lift side; when the rack is raised, it forces the wheel under the lift.
- Can remain on the lift all year. Simply disconnect two chains and tighten set screw to use the lift.




Universal Wheel Bracket Kit

- Assists in installation and removal of the lift.
- Universally designed to fit any lift.
- Sold in pairs (tires sold separately).



Pontoon Bunk Brackets (Set of 4)

- Designed for maximum support and stability for pontoon boats.
- Shown with optional carpeted wood bunks



Pontoon Racks (Set of 4)

- All-aluminum construction.
- Designed to provide a surface for your pontoon to rest on.
- Horizontally adjustable on the lift rack.



Pontoon Rail Kit

- Acts as lifting device and a centering guide.
- Wood sold separately.

Pontoon Motor Stop

- Designed specifically for pontoons.
- Assists in centering pontoon fore and aft.



Boat Lift Loft

- Provides convenient storage for water toys and life jackets.
- Adjustable to fit most canopy frames.
- Available in three sizes: 96", 108", and 120".



Adjustable Cradles

- Adjustable horizontally and vertically.
- Swivel to allow for best possible fit to your boat's hull.

Please visit www.shoremaster.com for a complete listing of all accessories.



ShoreMaster Stands Behind Its Products

- 15-Year Limited Warranty on Aluminum Products
- 5-Year Limited Warranty on Canopy Vinyl
- 8-Year Limited Warranty on ShorePort
- 2-Year Limited Warranty on Remaining Components

See your dealer or visit www.shoremaster.com for full written warranty.

Galva-Lift and ShoreMaster Floating Lift products are warranted through Galva-Foam Marine Industries.

- Lifetime warranty of HDPE and rotationally molded polyethylene tanks.
- 5-year warranty on all galvanized steel structural components.
- 2-Year warranty on control units.
- 1-Year warranty on all bushings.

For your nearest dealer, call **1-800-328-8945** or visit www.shoremaster.com and use our convenient dealer locator.

All products and specifications subject to change. Contact your ShoreMaster dealer for updates. Please check local or state regulations and codes before purchasing and installing any waterfront equipment.